Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	609	(714/748).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 15:04
L2	1979	(714/712).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 16:58
L3	119	L2 and (nack nak (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 17:26
L4	609	(714/748).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 16:58
L5	49	L4 and (parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) ((guarantee confirmation) adj code$1)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 16:58
L6	4	(("5905854") or ("5477552") or ("20020009721") or ("6161207")). PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/09 16:58
L7	28	("4074232" | "4082922" | "4745599" | "5027356" | "5029183" | "5103461" | "5245616" | "5479441" | "5499247" | "5528621" | "5553067" | "5553083" | "5608738" | "5664091" | "5668803" | "5727002" | "5742644" | "5764646" | "5889767" | "5995554" | "6005871").PN. OR ("6161207"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 16:58
L8	2	("20020156984").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 16:58

L9	2	("5561672").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 16:58
L10	10	("4410989" | "5007055" | "5280488" | "5357525" | "5465261" | "5701316" | "5815516" | "6173333" | "6412092" | "6625241").PN. OR ("2002/0120899" | "6804804"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 16:58
L11	26	("4344171" | "4439859" | "4584685" | "4718066" | "4726027" | "5313473").PN. OR ("5629948"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 16:58
L12	9	("3824547" | "3979719").PN. OR ("4621323").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 16:58
L13	85	(L3 not (L4 L10 L7 L6 L8 L9 L5 L11 L12)) and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 17:28
L14	168	(714/18).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 17:26
L15	262	(714/49).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 17:26
L16	35	15 and (nack nak (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 17:26
L18	107	(L3 not (L4 L10 L7 L6 L8 L9 L5 L11 L12)) and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 17:29
L19	22	18 not 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 17:28

L20	30	(16 not (L3 L4 L10 L7 L6 L8 L9 L5 L11 L12)) and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 17:40
L22	2	(masanori and kishinami).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 17:32
L23	128	(14 not (16 L3 L4 L10 L7 L6 L8 L9 L5 L11 L12)) and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 17:58
L24	527	((dummy nullif$4 false$2 falsif$8 fake$1 faking) near3 (transmission$1 transmit$4 send$3 sent output$4)) and (parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) checksum$1 (check adj sum$1) ((guarantee confirmation) adj code$1)) and (nack nak (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 17:58
L25	11	((dummy nullif$4 false$2 falsif$8 fake$1 faking) near3 (transmission$1 transmit$4 send$3 sent output$4)) same (parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) checksum$1 (check adj sum$1) ((guarantee confirmation) adj code$1)) same (nack nak (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 18:05

L26	10	(25) and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 18:05
L27	246	((dummy nullif$4 false$2 falsif$8 fake$1 faking) near3 (transmission$1 transmit$4 send$3 sent output$4)) same (parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) checksum$1 (check adj sum$1) ((guarantee confirmation) adj code$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 18:03
L28	128	((dummy nullif$4 false$2 falsif$8 fake$1 faking) near3 (transmission$1 transmit$4 send$3 sent output$4)) with (parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) checksum$1 (check adj sum$1) ((guarantee confirmation) adj code$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 18:04
L29	127	((dummy nullif$4 false$2 falsif$8 fake$1 faking) near3 (transmission$1 transmit$4 send$3 sent output$4)) with (parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) checksum$1 (check adj sum$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 18:04
L30	38	(((dummy nullif$4 false$2 falsif$8 fake$1 faking) near3 (transmission$1 transmit$4 send$3 sent output$4)) with (parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) checksum$1 (check adj sum$1) ((guarantee confirmation) adj code$1))) and (nack nak (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 18:06

L31	31	30 not 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 18:05
L32	30	(31 not 25) and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 18:06
L33	59	(((dummy nullif$4 false$2 falsif$8 fake$1 faking) near3 (transmission$1 transmit$4 send$3 sent output$4)) same (parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) checksum$1 (check adj sum$1) ((guarantee confirmation) adj code$1))) and (nack nak (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 18:06
L34	47	(33 not 25) and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 18:07
S1	1	10/769927	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 13:07
S2	4	(("5905854") or ("5477552") or ("20020009721") or ("6161207")). PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/02 16:50
S3	28	("4074232" | "4082922" | "4745599" | "5027356" | "5029183" | "5103461" | "5245616" | "5479441" | "5499247" | "5528621" | "5553067" | "5553083" | "5608738" | "5664091" | "5668803" | "5727002" | "5742644" | "5764646" | "5889767" | "5995554" | "6005871").PN. OR ("6161207"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 13:42

S4	2	("20020156984").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 16:54
S5	2	("5561672").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 17:42
S6	168	(714/18).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 17:26
S7	262	(714/49).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 17:26
S8	609	(714/748).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 13:07
S9	168	(714/18).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 13:07
S10	4	(("5905854") or ("5477552") or ("20020009721") or ("6161207")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/08 13:42
S11	28	("4074232" | "4082922" | "4745599" | "5027356" | "5029183" | "5103461" | "5245616" | "5479441" | "5499247" | "5528621" | "5553067" | "5553083" | "5608738" | "5664091" | "5668803" | "5727002" | "5742644" | "5764646" | "5889767" | "5995554" | "6005871").PN. OR ("6161207").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 13:42
S12	2	("20020156984").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 13:42

S13	2	("5561672").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 13:42
S14	28	(S11 not (S10 S12 S13)) and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 17:27
S15	589	(parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) ((guarantee confirmation) adj code$1)) same ((partial$2 portion part$1 divided sub-divided whole complete entire window assembled reassembled) near3 (packet$1 frame$1 cell$1)) same (request nack nak (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 16:26
S16	244	(parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) ((guarantee confirmation) adj code$1)) with ((partial$2 portion part$1 divided sub-divided whole complete entire window assembled reassembled) near3 (packet$1 frame$1 cell$1 data datum information)) with (request nack nak (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 16:27

S17	286	(parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) ((guarantee confirmation) adj code$1)) same (((partial$2 portion$1 part$1 divided sub-divided whole complete entire window assembled reassembled) near3 (packet$1 frame$1 cell$1 data datum information)) with (nack$1 nak$1 (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 16:31
S18	162	((parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) ((guarantee confirmation) adj code$1)) with (sending send$1 transmission transmit$4)) same (((partial$2 portion$1 part$1 divided sub-divided whole complete entire window assembled reassembled) near3 (packet$1 frame$1 cell$1 data datum information)) with (nack$1 nak$1 (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 16:30
S19	14	((parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) ((guarantee confirmation) adj code$1)) with (whole complete entire window original assembled reassembled reconstructed)) same (((partial$2 portion$1 part$1 divided sub-divided) near3 (packet$1 frame$1 cell$1 data information)) with (nack$1 nak$1 (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 16:49

S20	124	((parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) ((guarantee confirmation) adj code$1)) with (whole complete entire window original assembled reassembled reconstructed)) and (((partial$2 portion$1 part$1 divided sub-divided) near3 (packet$1 frame$1 cell$1 data information)) with (nack$1 nak$1 (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 16:33
S22	13	S19 and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 17:29
S23	10	("4410989" | "5007055" | "5280488" | "5357525" | "5465261" | "5701316" | "5815516" | "6173333" | "6412092" | "6625241").PN. OR ("2002/0120899" | "6804804"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 16:41
S24	14	((parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) ((guarantee confirmation) adj code$1)) with (whole complete entire window original assembled reassembled reconstructed cluster$3 superpacket$1)) same (((partial$2 portion$1 part$1 divided sub-divided) near3 (packet$1 frame$1 cell$1 data information)) with (nack$1 nak$1 (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 17:25

S25	27	((parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) ((guarantee confirmation) adj code$1)) with (whole complete entire window original assembled reassembled reconstructed cluster$3 superpacket$1 super-packet$1 superframe$1 super-frame$1)) same ((((partial$2 portion$1 part$1 divided sub-divided) near3 (packet$1 frame$1 cell$1 block$1 data information)) subframe$1 sub-frame$1 subpacket$1 sub-packet$1) with (nack$1 nak$1 (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 17:27
S26	10	(S23 not (S11 S10 S12 S13)) and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 19:40
S27	13	(S25 not S19) and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 18:34
S29	4166	(sending send$2 transmission transmit$4 originat$3 source$1) with (confirmation$1 confirm$3 guarantee$3 checks checking checked comparison compar$3 recomput$3 re-comput$3 recalculat$3 re-calculat$3) with (parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 18:13

S30	3042	(sending send$2 transmission transmit$4 originat$3 source$1) with ((confirmation$1 confirm$3 guarantee$3 checks checking checked comparison compar$3 recomput$3 re-comput$3 recalculat$3 re-calculat$3) near3 (parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding))))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 18:15
S32	1743	S30 and ("714" "370" "709").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 11:40
S33	289	(sending send$2 transmission transmit$4 originat$3 source$1) with ((confirmation$1 confirm$3 re-check$3 recheck$3 recompar$3 re-compar$3 recomput$3 re-comput$3 recalculat$3 re-calculat$3) near3 (parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding))))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 18:15
S34	308	(sending send$2 transmission transmit$4 originat$3 source$1) with ((confirmation$1 confirm$3 re-check$3 recheck$3 recompar$3 re-compar$3 recomput$3 re-comput$3 recalculat$3 re-calculat$3) near3 (parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 18:49
S38	38	S34 same (request nack nak (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 19:48
S41	37	S38 and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 18:50

S42	73	(((sending send$1 transmission transmit$4 originating) near2 (side device$1 unit$1)) sender$1 transmitter$1 originator$1 source$1) with ((confirmation$1 confirm$3 re-check$3 recheck$3 recompar$3 re-compar$3 recomput$3 re-comput$3 recalculat$3 re-calculat$3) near3 (parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 18:49
S43	14	S42 same (request nack nak (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 18:51
S44	14	S43 and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 18:52
S47	582	(S8 not (S23 S11 S10 S12 S13)) and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 11:50
S49	1979	(714/712).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:05
S50	119	S49 and (nack nak (negative adj acknowledgment$1) retransmission$1 retransmit$4 resend$3 re-transmission$1 re-transmit$4 re-send$3 arq (automatic$4 adj (repeat$3 repetition) adj request$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 11:05
S51	609	(714/748).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 15:04
S52	49	S51 and (parity ecc edc (error$1 adj2 (check$3 correct$3 detect$3) adj2 (code$1 coding)) crc (cyclic$2 adj redundan$2 adj (code$1 coding)) ((guarantee confirmation) adj code$1)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 11:05

S53	4	((\"5905854\") or (\"5477552\") or (\"20020009721\") or (\"6161207\")). PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/09 11:05
S54	28	(\"4074232\" | \"4082922\" | \"4745599\" | \"5027356\" | \"5029183\" | \"5103461\" | \"5245616\" | \"5479441\" | \"5499247\" | \"5528621\" | \"5553067\" | \"5553083\" | \"5608738\" | \"5664091\" | \"5668803\" | \"5727002\" | \"5742644\" | \"5764646\" | \"5889767\" | \"5995554\" | \"6005871\").PN. OR (\"6161207\"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 11:05
S55	2	(\"20020156984\").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 11:05
S56	2	(\"5561672\").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 11:05
S57	10	(\"4410989\" | \"5007055\" | \"5280488\" | \"5357525\" | \"5465261\" | \"5701316\" | \"5815516\" | \"6173333\" | \"6412092\" | \"6625241\").PN. OR (\"2002/0120899\" | \"6804804\"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 11:05
S58	46	(S52 not (S57 S54 S53 S55 S56)) and (@ad<=\"20040203\" @pd<=\"20040203\" @rlad<=\"20040203\" @prad<=\"20040203\")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 11:51
S59	26	(\"4344171\" | \"4439859\" | \"4584685\" | \"4718066\" | \"4726027\" | \"5313473\").PN. OR (\"5629948\"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 11:28
S60	9	(\"3824547\" | \"3979719\").PN. OR (\"4621323\").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 11:39
S61	840	((dummy nullif$4) near (transmission$1 transmit$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 11:40
S62	281	S61 and (\"714\" \"370\" \"709\").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 11:40

S63	30	((S59 S60) not (S52 S57 S54 S53 S55 S56)) and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 11:52
S64	525	(S51 not (S57 S54 S53 S55 S56 S52 S59 S60)) and (@ad<="20040203" @pd<="20040203" @rlad<="20040203" @prad<="20040203")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 16:58